

according to UK REACH Regulation

#### **SANIT Urine Residue Remover**

Revision date: 01.03.2024

Product code: 3031

Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

SANIT Urine Residue Remover

UFI:

#### M55M-YFVE-87C2-5E0T

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Washing and cleaning products (including solvent based products)

#### 1.3. Details of the supplier of the safety data sheet

Company name:	SANIT-Chemie	
	Reinigungsmittel und -geräte GmbH	
Street:	Dieselstr. 38	
Place:	D-74211 Leingarten	
Telephone:	+49 7131 902100	Telefax: +49 7131 404360
E-mail:	info@sanit-chemie.de	
Contact person:	Produktmanagement	Telephone:07131 90210-20
Internet:	www.sanit-chemie.de	

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Met. Corr. 1; H290 Skin Corr. 1; H314 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

Danger

#### 2.2. Label elements

#### **GB CLP Regulation**

## Hazard components for labelling

Hydrochloric aci 31% (24%)

Signal word:

Pictograms:



#### Hazard statements

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

recould formary of	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.



#### according to UK REACH Regulation

SANIT Urine Residue Remover					
Revision date: 01.03.2024	Product code: 3031	Page 2 of 12			
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.				
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with wate or shower.	er			
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
P310	Immediately call a POISON CENTER/doctor.				
P405	Store locked up.				
2.3. Other hazards					

No information available.

Die Stoffe im Gemisch erfüllen nicht die PBT/vPvB Kriterien gemäß REACH, Anhang XIII. Endokrines Störpotential: nicht gelistet

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7647-01-0	47-01-0 Hydrochloric aci 31%			20 - < 25 %
	231-595-7	017-002-01-X	01-2119484862-27	
	Met. Corr. 1, Skin Corr. 1B, Eye Da	m. 1, STOT SE 3; H290 H314 H318	H335	
85409-22-9	quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides			0.1 - < 1 %
	939-350-2	01-2119970550-39		
	Acute Tox. 4, Skin Corr. 1, Eye Dar H400 H410	ic 1; H302 H314 H318		

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. I	imits, M-factors and ATE			
7647-01-0	231-595-7	Hydrochloric aci 31%	20 - < 25 %		
	mg/kg Skin Co	inhalation: LC50 = 45,6 mg/l (vapours); dermal: LD50 = >5010 mg/kg; oral: LD50 = 2222 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100			
85409-22-9	939-350-2	quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides	0.1 - < 1 %		
	dermal: LD50 = 3400 mg/kg; oral: LD50 = 350 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1				

#### Labelling for contents according to Regulation (EC) No 648/2004

< 5 % cationic surfactants.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

Remove contaminated, saturated clothing immediately. Remove affected person from the danger area and lay down.

## After inhalation

Provide fresh air. Medical treatment necessary.



# according to UK REACH Regulation SANIT Urine Residue Remover

Revision date: 01.03.2024

Product code: 3031

Page 3 of 12

#### After contact with skin

After contact with skin, wash immediately with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Observe risk of aspiration if vomiting occurs. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling



# according to UK REACH Regulation

#### **SANIT Urine Residue Remover**

Revision date: 01.03.2024

Product code: 3031

Page 4 of 12

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Unsuitable container/equipment material: Metal.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

#### 7.3. Specific end use(s)

Washing and cleaning products (including solvent based products)

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL

#### **DNEL/DMEL** values

CAS No	Substance		-		
DNEL type		Exposure route	Effect	Value	
7647-01-0	D Hydrochloric aci 31%				
Worker DNEL,	Worker DNEL, long-term inhalation local 8 mg/m <sup>3</sup>				
Worker DNEL, acute     inhalation     local     15 mg/m³				15 mg/m³	

**PNEC** values

CAS No	Substance					
Environmental compartment Value						
85409-22-9	quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides	quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides				
Freshwater		0,00042 mg/l				
Freshwater (intermittent releases) 0,00016 mg/l						
Marine water		0,000096 mg/l				
Marine water (intermittent releases) 0,000207 mg						
Freshwater sediment 68 mg/kg						
Marine sediment 15,75						
Soil		1,66 mg/kg				

#### 8.2. Exposure controls



according to UK REACH Regulation

# SANIT Urine Residue Remover Product code: 3031

Revision date: 01.03.2024



#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The guality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Tested protective gloves are to be worn: NBR (Nitrile rubber). CR (polychloroprenes, Chloroprene rubber). FKM (fluororubber). Thickness of glove material: 0,6 mm Breakthrough times and swelling properties of the material must be taken into consideration. penetration time (maximum wearing period): 8h (EN ISO 374)

#### Skin protection

Wear suitable protective clothing.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. EN 14387

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Colour:	liquid colourless		
Odour:	stinging		
			Test method
Melting point/freezing point:		not determined	
Boiling point or initial boiling point and		101 °C	
boiling range:			
Flammability:		not applicable	
		not applicable	
Lower explosion limits:		not determined	
Upper explosion limits:		not determined	
Flash point:		Non-flammable.	
Decomposition temperature:		not determined	
pH-Value (at 20 °C):		<1	1% ig
Water solubility:		completely miscible	
Solubility in other solvents			
not determined			
Partition coefficient n-octanol/water:		not determined	
Vapour pressure:		not determined	
Density:		1,12 g/cm³	

SANIT-Chemie



SANIT Urine Residue Remover					
Revision date: 01.03.2024	Product code: 3031	Page 6 of 12			
Relative vapour density:	not determined				
9.2. Other information					
Information with regard to physical hazard c	lasses				
Self-ignition temperature					
Solid:	not applicable				
Gas:	not applicable				
Oxidizing properties					
Not oxidising.					
Other safety characteristics					
Evaporation rate:	not determined				
Solid content:	not determined				

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Corrosive to metals. Possibility of hazardous reactions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Exothermic reaction with: Base, Peroxides, Oxidising agent. Alkalis (alkalis).

#### 10.4. Conditions to avoid

none

#### 10.5. Incompatible materials

Metal. Keep away from: Base, Oxidising agent, Peroxides. Possibly extensive generation of hydrogen on contact with amphoteric metals (e.g. aluminium, lead, zinc) (explosive hazard!).

#### 10.6. Hazardous decomposition products

Hydrochloric gas.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to UK REACH Regulation

## **SANIT Urine Residue Remover**

Revision date: 01.03.2024

Product code: 3031

Page 7 of 12

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7647-01-0	Hydrochloric aci 31%					
	oral	LD50 mg/kg	2222	Ratte	SDB vom Lieferant	
	dermal	LD50 mg/kg	>5010	Kaninchen	SDB vom Lieferant	
	inhalation vapour	LC50	45,6 mg/l	Ratte	ECHA	keine Richtlinie angewendet
85409-22-9	quaternary ammonium co	ompounds, be	enzyl-C12-1	- 4-alkyldimethyl, chlorides	•	• •
	oral	LD50 mg/kg	350	Rat	ECHA	OECD 401
	dermal	LD50 mg/kg	3400	rabbit	Echa	EPA OPPTS 870.1200

#### Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage. (On basis of test data) Serious eye damage/eye irritation: Causes serious eye damage. (On basis of test data)

#### Sensitising effects

Based on available data, the classification criteria are not met. no danger of sensitization.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause respiratory irritation. (Hydrochloric aci 31%)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## 11.2. Information on other hazards

#### Endocrine disrupting properties

Angaben zu endokrinschädlichen Eigenschaften auf die menschliche Gesundheit sind nicht verfügbar.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Inorganic product which is not eliminable from water through biological cleaning processes.



according to UK REACH Regulation

# SANIT Urine Residue Remover

Revision date: 01.03.2024

Product code: 3031

Page 8 of 12

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
7647-01-0	Hydrochloric aci 31%							
	Acute fish toxicity	LC50 mg/l	20,5	96 h	Blauer Sonnenbarsch (Lepomis macrochirus)	ECHA	keine Richtlinie angewendet	
	Acute algae toxicity	ErC50 mg/l	0,73	72 h	Grünalge (Chlorella vulgaris)	ECHA	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	0,45	48 h	Daphnia	ECHA	OECD 202	
	Acute bacteria toxicity	EC50 mg/l()	0,23	3 h	Belebtschlamm	ECHA	OECD 209	
85409-22-9	quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides							
	Acute fish toxicity	LC50 mg/l	0,28	96 h	Pimephales promelas (Fresh water fish)	ECHA	EU Method C.1	
	Acute algae toxicity	ErC50 mg/l	0,049	72 h	Skeletonema costatum (fresh water)	ECHA	EU Method C.3	
	Acute crustacea toxicity	EC50 mg/l	0,016	48 h	Acartia tonsa (fresh water)	ECHA	EU Method C.2	
	Fish toxicity	NOEC mg/l	0,032	28 d	Pimephales promelas (Fresh water fish)	ECHA	U.S. EPA FIFRA 72-4(a)	
	Crustacea toxicity	NOEC mg/l	0,0041	21 d	Daphnia magna (Fresh water )	ECHA	OECD Guideline 211	

# 12.2. Persistence and degradability

Product is acid. The product needs to apply neutralizing agents before draining to wastewater treatment plants.

CAS No	Chemical name					
	Method Value d Source					
	Evaluation					
85409-22-9	quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides					
	OECD 301B Ready Biodegradability - CO2 Evolution 95,5% 28 ECHA					
	Easily biodegradable (concerning to the criteria of the OECD)					

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
85409-22-9	quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides	0,5
BCF		

CAS No	Chemical name	BCF	Species	Source
	quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides	73,2	aquatic species	ECHA

# 12.4. Mobility in soil

not determined

#### 12.5. Results of PBT and vPvB assessment



according to UK REACH Regulation

#### **SANIT Urine Residue Remover**

Revision date: 01.03.2024

Product code: 3031

Page 9 of 12

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. The components in this formulation do not meet the criteria for classification as PBT or vPvB.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

#### List of Wastes Code - residues/unused products

060102 WASTES FROM INORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of acids; hydrochloric acid; hazardous waste

#### List of Wastes Code - used product

060102 WASTES FROM INORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of acids; hydrochloric acid; hazardous waste

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

Land transport (ADIVIND)	
14.1. UN number or ID number:	UN 1789
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
	R R R R R R R R R R R R R R R R R R R
Classification code:	C1
Special Provisions:	520
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E
Other applicable information (land transp	port)
Special provisions: 520	
Transport category: 3	
Inland waterways transport (ADN) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u>	UN 1789 HYDROCHLORIC ACID 8
	-



#### according to UK REACH Regulation

	SANIT Urine Residue Remover	
Revision date: 01.03.2024	Product code: 3031	Page 10 of 1
14.4. Packing group:	II	
Hazard label:	8	
	8	
Classification code:	C1	
Special Provisions:	520	
Limited quantity:	1L	
Excepted quantity:	E2	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 1789	
14.2. UN proper shipping name:	HYDROCHLORIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	II	
Hazard label:	8	
	8	
Special Provisions:	_ ~	
Limited quantity:	1 L	
Excepted quantity:	E2	
EmS:	F-A, S-B	
Segregation group:	1 - acids	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number or ID number:</u>	UN 1789	
14.2. UN proper shipping name:	HYDROCHLORIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	II	
Hazard label:	8	
	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	0.5 L	
Passenger LQ:	Y840	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:	851	
IATA-max. quantity - Passenger:	1L	
IATA-packing instructions - Cargo:	855	
IATA-max. quantity - Cargo:	30 L	
14.6. Special precautions for user		
Warning: strongly corrosive.		
14.7. Maritime transport in bulk according	to IMO instruments	
not applicable		
Other applicable information		
Hazchem code:	2R	
	21X	

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



## **SANIT Urine Residue Remover**

Revision date: 01.03.2024

Product code: 3031

Page 11 of 12

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 75

# Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

#### National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. 1 - slightly hazardous to water

Water hazard class (D):

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,14.

#### Abbreviations and acronyms

Met. Corr: Corrosive to metals Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage STOT SE: Specific target organ toxicity - single exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure	
Met. Corr. 1; H290	On basis of test data	
Skin Corr. 1; H314	On basis of test data	
Eye Dam. 1; H318	On basis of test data	
STOT SE 3; H335	Calculation method	
Aquatic Chronic 3; H412	Calculation method	

#### Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.



# according to UK REACH Regulation

# **SANIT Urine Residue Remover**

Revision date: 01.03.2024		Product code: 3031	Page 12 of 12
H400	Very toxic to aquatic life.		

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)