

according to UK REACH Regulation

## SANIT Scheibenfrostschutzkonzentrat -30°C

Revision date: 15.09.2023

Product code: 3273

Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

SANIT Scheibenfrostschutzkonzentrat -30°C

#### UFI:

E029-R0VD-N00P-VDJU

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Anti-freeze and de-icing products

#### 1.3. Details of the supplier of the safety data sheet

Company name:	SANIT-Chemie	
	Reinigungsmittel und -geräte GmbH	
Street:	Dieselstr. 38	
Place:	D-74211 Leingarten	
Telephone:	+49 7131 902100	Telefax: +49 7131 404360
E-mail:	info@sanit-chemie.de	
Contact person:	Produktmanagement	Telephone:07131 90210-20
Internet:	www.sanit-chemie.de	

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## GB CLP Regulation

Flam. Liq. 3; H226

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

#### **GB CLP Regulation**

Signal word: Pictograms: Warning



## Hazard statements

H226

Flammable liquid and vapour.

#### Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P370+P378	In case of fire: Use Wasser to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to Entsorgungsstelle.



according to UK REACH Regulation

## SANIT Scheibenfrostschutzkonzentrat -30°C

Revision date: 15.09.2023

Product code: 3273

Page 2 of 11

## Special labelling of certain mixtures

EUH208

Contains citral. May produce an allergic reaction.

## 2.3. Other hazards

No information available.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, Annex XIII. Endocrine-disrupting potential: not listed.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Relevant ingredients**

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification (GB CLP	Regulation)		
64-17-5	ethanol; ethyl alcohol	ethanol; ethyl alcohol		
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2;	H225 H319		

Full text of H and EUH statements: see section 16.

Specific Con	c. Limits, M-fac	tors and ATE	
CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	imits, M-factors and ATE	
64-17-5	200-578-6	ethanol; ethyl alcohol	45 - < 60 %
	inhalation: LC5	0 = 95,6 mg/l (vapours); oral: LD50 = 6200 mg/kg	

#### Labelling for contents according to Regulation (EC) No 648/2004

< 5 % anionic surfactants, perfumes (Citral).

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

## After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

## After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media



according to UK REACH Regulation

## SANIT Scheibenfrostschutzkonzentrat -30°C

Revision date: 15.09.2023

Product code: 3273

Page 3 of 11

#### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

## 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

## 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



## according to UK REACH Regulation

## SANIT Scheibenfrostschutzkonzentrat -30°C

Revision date: 15.09.2023

Product code: 3273

Page 4 of 11

# Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

# 7.3. Specific end use(s)

Anti-freeze and de-icing products

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

#### **DNEL/DMEL** values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
64-17-5	ethanol; ethyl alcohol					
Worker DNEL	, long-term	inhalation	systemic	950 mg/m³		
Worker DNEL	, long-term	inhalation	local	1900 mg/m³		
Worker DNEL	, long-term	dermal	systemic	343 mg/kg bw/day		
Consumer DN	EL, long-term	inhalation	systemic	114 mg/m³		
Consumer DN	EL, long-term	inhalation	local	950 mg/m³		
Consumer DN	EL, long-term	dermal	systemic	206 mg/kg bw/day		
Consumer DN	EL, long-term	oral	systemic	87 mg/kg bw/day		

## **PNEC** values

CAS No	Substance			
Environmental	mental compartment Value			
64-17-5	17-5 ethanol; ethyl alcohol			
Freshwater 0,96 mg/l				
Freshwater (intermittent releases) 2,75 mg				
Marine water 0,79 mg/l				
Freshwater sediment 3				
Marine sedime	2,9 mg/kg			
Soil		0,63 mg/kg		

#### 8.2. Exposure controls





### Individual protection measures, such as personal protective equipment

## Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four



according to UK REACH Regulation

## SANIT Scheibenfrostschutzkonzentrat -30°C

Revision date: 15.09.2023

Product code: 3273

Page 5 of 11

control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves are to be worn: NBR (Nitrile rubber). Thickness of glove material: 0,65 mmpenetration time (maximum wearing period): 8h

#### Skin protection

Use of protective clothing.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	blue		
Odour:	characteristic		
			Test method
Melting point/freezing point:		-32 °C	
Boiling point or initial boiling point a	and	78 °C	
boiling range:			
Flammability:		not determined	
Lower explosion limits:		3,5 g/m³	
Upper explosion limits:		15 g/m³	
Flash point:		25 °C	DIN 51755
Auto-ignition temperature:		425 °C	
Decomposition temperature:		not determined	
pH-Value:		7	
Viscosity / kinematic:		not determined	
Water solubility:		easily soluble	
Solubility in other solvents			
not determined			
Partition coefficient n-octanol/wate	r:	not determined	
Vapour pressure:		59 hPa	
(at 20 °C)			
Density:		0,94 g/cm³	
Relative vapour density:		not determined	
Particle characteristics:		not applicable	
9.2. Other information			
Information with regard to physic	al hazard classes		
Explosive properties			
The product is not: Explosive.			
Oxidizing properties			
The product is not: oxidising.			
Other safety characteristics			
Evaporation rate:		not determined	
Solvent content:		ca. 47 %	
Solid content:		not determined	



according to UK REACH Regulation

## SANIT Scheibenfrostschutzkonzentrat -30°C

Revision date: 15.09.2023

Product code: 3273

Page 6 of 11

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Flammable.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

## 10.5. Incompatible materials

Oxidizing agents, strong.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation

#### dust/mist) > 5 mg/l

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
64-17-5	ethanol; ethyl alcohol	ethanol; ethyl alcohol							
	oral	LD50 mg/kg	6200	Rat	IUCLID				
	inhalation (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS				

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met. Contains citral. May produce an allergic reaction.

no danger of sensitization.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

# SANIT Scheibenfrostschutzkonzentrat -30°C Product code: 3273

Revision date: 15.09.2023

### **Practical experience**

Has degreasing effect on the skin.

# 11.2. Information on other hazards

### Endocrine disrupting properties

information on endocrine-disrupting properties on human health is not available.

#### Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d] Species		Source	Method	
64-17-5	ethanol; ethyl alcohol							
	Acute fish toxicity	LC50 mg/l	14200		Pimephales promelas (fathead minnow)		US EPA method E03-05	
	Acute crustacea toxicity	EC50 14221 mg/	9268 - I	48 h		IUCLID		

#### 12.2. Persistence and degradability

## The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation		=	
64-17-5	ethanol; ethyl alcohol			
	guideline: BOD	>96%	20	ЕСНА
	guideline. BOB	0070	20	= • · · · ·

#### 12.3. Bioaccumulative potential

The product has not been tested.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol; ethyl alcohol	-0,31

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

## **Further information**

Avoid release to the environment.

#### Page 7 of 11



according to UK REACH Regulation

## SANIT Scheibenfrostschutzkonzentrat -30°C

Revision date: 15.09.2023

Product code: 3273

Page 8 of 11

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

# **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

140603 WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (EXCEPT 07 AND 08); waste organic solvents, refrigerants and foam/aerosol propellants; other solvents and solvent mixtures; hazardous waste

#### List of Wastes Code - used product

140603 WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (EXCEPT 07 AND 08); waste organic solvents, refrigerants and foam/aerosol propellants; other solvents and solvent mixtures; hazardous waste

#### List of Wastes Code - contaminated packaging

140603 WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (EXCEPT 07 AND 08); waste organic solvents, refrigerants and foam/aerosol propellants; other solvents and solvent mixtures; hazardous waste

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

#### **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number: 14.2. UN proper shipping name:	UN 1987 ALCOHOLS, N.O.S.
14.3. Transport hazard class(es):	3
14.4. Packing group:	
Hazard label:	3
Classification code:	F1
Special Provisions:	274 601
Limited quantity:	5 L
Transport category:	3
Hazard No:	30
Tunnel restriction code: D/E	
Other applicable information (land transp Special provisions: 274 601 640C E1 Transport category: 2 Transport category: 3	port)
Inland waterways transport (ADN)	
14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label:	UN 1987 ALCOHOLS, N.O.S. 3 III 3



# according to UK REACH Regulation

SANIT	Scheibenfrostschutzkonzentrat -30°C	
Revision date: 15.09.2023	Product code: 3273	Page 9 of 11
Classification code:	F1	
Special Provisions:	274 601	
Limited quantity:	5 L	
Other applicable information (inland wate Special provisions: 274 601 E1	rways transport)	
<b>14.6. Special precautions for user</b> Warning: Combustible liquid.		
14.7. Maritime transport in bulk according to not applicable	IMO instruments	
SECTION 15: Regulatory information		
	ations/legislation specific for the substance or mixture	
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 75		
Directive 2010/75/EU on industrial emissions:	47 % (441,8 g/l)	
Directive 2004/42/EC on VOC in paints and varnishes:	47 % (441,8 g/l)	
Information according to Directive 2012/18/EU (SEVESO III):	P5c FLAMMABLE LIQUIDS	
Additional information		
Regulation (EC) No. 648/2004 (Deterge	ents regulation). To follow: 850/2004/EC , 79/117/EEC , 689/2008/EC	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juver work protection guideline' (94/33/EC).	nile
Water hazard class (D):	1 - slightly hazardous to water	
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.	
15.2. Chemical safety assessment		
Chemical safety assessments for subst		

## **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 1,13.



according to UK REACH Regulation

SANIT Scheibenfrostschutzkonzentrat -30°C			
Revision date: 15.09.2023	Product code: 3273	Page 10 of 11	
Abbreviations and acronyms			
Flam. Liq: Flammable liquids			
Eye Irrit: Eye irritation			
ADR: Accord européen sur le	transport des marchandises dangereuses par Route		
(European Agreement concer	ning the International Carriage of Dangerous Goods by Road)		
IMDG: International Maritime	Code for Dangerous Goods		
IATA: International Air Transp			
-	ystem of Classification and Labelling of Chemicals		
	of Existing Commercial Chemical Substances		
ELINCS: European List of No			
CAS: Chemical Abstracts Ser			
LC50: Lethal concentration, 5	0%		
LD50: Lethal dose, 50%			
CLP: Classification, labelling			
-	tion and Authorization of Chemicals		
-	ystem of Classification, Labelling and Packaging of Chemicals		
UN: United Nations			
DNEL: Derived No Effect Lev			
DMEL: Derived Minimal Effect			
PNEC: Predicted No Effect C	oncentration		
ATE: Acute toxicity estimate			
LL50: Lethal loading, 50%			
EL50: Effect loading, 50% EC50: Effective Concentration	- FOW		
ErC50: Effective Concentration NOEC: No Observed Effect C	-		
BCF: Bio-concentration factor			
PBT: persistent, bioaccumula			
vPvB: very persistent, very bi			
	the international carriage of dangerous goods by rail		
	oncerning the International Carriage of Dangerous Goods by Inland Waterways		
	ansport international des marchandises dangereuses par voies de navigation		
intérieures)			
,	ention for the Prevention of Marine Pollution from Ships		
IBC: Intermediate Bulk Conta			
VOC: Volatile Organic Compo			
SVHC: Substance of Very Hig			
	ms, see: ECHA Guidance on information requirements and chemical safety		
-	able of terms and abbreviations).		
. ,	ed evaluation method according to GB CLP Regulation		
Classification	Classification procedure		
Flam. Liq. 3; H226	On basis of test data		
Relevant H and EUH statements	(number and full text)	•	

#### Relevant H and EUH statements (number and full text) H225 Highly flammable liquid and val

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
EUH208	Contains citral. May produce an allergic reaction.

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.



according to UK REACH Regulation

## SANIT Scheibenfrostschutzkonzentrat -30°C

Revision date: 15.09.2023

Product code: 3273

Page 11 of 11

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)