

according to UK REACH Regulation

SANIT Cleaner for Fireplace Glass

Revision date: 07.12.2023 Product code: 45060 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SANIT Cleaner for Fireplace Glass

UFI: KMS0-P49V-F00C-GJXS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Company name: SANIT-Chemie

Reinigungsmittel und -geräte GmbH

Street: Dieselstr. 38
Place: D-74211 Leingarten

Telephone: +49 7131 902100 Telefax: +49 7131 404360

E-mail: info@sanit-chemie.de

Contact person: Produktmanagement Telephone: 07131 90210-20

Internet: www.sanit-chemie.de

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Irrit. 2; H315 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Fatty alcohol ethoxilate

Decyl-octyl glycosides oligomer sodium hydroxide; caustic soda nal word: Danger

Signal word: Da

Pictograms:



Hazard statements

H315 Causes skin irritation.H318 Causes serious eye damage.

Precautionary statements

P264 Wash Hände thoroughly after handling.

P280 Wear protective gloves and eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of Wasser.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.



according to UK REACH Regulation

SANIT Cleaner for Fireplace Glass

Revision date: 07.12.2023 Product code: 45060 Page 2 of 10

Additional advice on labelling

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

2.3. Other hazards

No information available.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, Annex XIII.

Endocrine-disrupting potential: not listed.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation))			
68515-73-1	Decyl-octyl glycosides oligomer			1 - < 5 %	
	500-220-1		01-2119488530-36		
	Eye Dam. 1; H318				
9043-30-5	Isotridecanol,ethoxylated				
	932-324-1				
	Eye Dam. 1, Aquatic Chronic 3; H3	18 H412			
1310-73-2	sodium hydroxide; caustic soda			0.1 - < 1 %	
	215-185-5	011-002-00-6			
	Skin Corr. 1A; H314				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

Opecine con	pecific Conc. Elithis, M-factors and ATE						
CAS No	EC No	No Chemical name					
	Specific Conc.	Limits, M-factors and ATE					
68515-73-1	500-220-1	Decyl-octyl glycosides oligomer	1 - < 5 %				
	dermal: LD50	D50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg					
9043-30-5	932-324-1	Isotridecanol,ethoxylated	1 - < 5 %				
	oral: LD50 = >2000 mg/kg						
1310-73-2	215-185-5	sodium hydroxide; caustic soda	0.1 - < 1 %				
	Skin Corr. 1A; I	H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2					
	Eye Irrit. 2; H31	19: >= 0,5 - < 2					

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air. Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical



according to UK REACH Regulation

SANIT Cleaner for Fireplace Glass

Revision date: 07.12.2023 Product code: 45060 Page 3 of 10

advice/attention. After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water. Foam. Extinguishing powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon dioxide (CO2). Sulfur oxides.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Keep away from unprotected people. Keep upwind. High slip hazard because of leaking or spilled product.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Treat the recovered material as prescribed in the section on waste disposal.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage



according to UK REACH Regulation

SANIT Cleaner for Fireplace Glass

Revision date: 07.12.2023 Product code: 45060 Page 4 of 10

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Keep container tightly closed in a cool, well-ventilated place.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Washing and cleaning products (including solvent based products)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
68515-73-1	Decyl-octyl glycosides oligomer			
Worker DNEL,	long-term	inhalation	systemic	420 mg/m³
Worker DNEL,	long-term	dermal	systemic	595000 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	systemic	124 mg/m³
Consumer DNEL, long-term		dermal	systemic	357000 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	35,7 mg/kg bw/day
1310-73-2	sodium hydroxide; caustic soda			
Consumer DNEL, long-term		inhalation	local	1 mg/m³
Worker DNEL, acute		dermal	local	< 2 %
Worker DNEL, long-term		inhalation	local	1 mg/m³



according to UK REACH Regulation

SANIT Cleaner for Fireplace Glass

Revision date: 07.12.2023 Product code: 45060 Page 5 of 10

PNEC values

CAS No	Substance			
Environmental compartment		Value		
68515-73-1	Decyl-octyl glycosides oligomer			
Freshwater		0,176 mg/l		
Marine water 0,018 mg/		0,018 mg/l		
Freshwater sediment 1,516 mg/		1,516 mg/kg		
Marine sediment 0,		0,152 mg/kg		
Secondary poisoning 111,11 r		111,11 mg/kg		
Micro-organisms in sewage treatment plants (STP) 560 mg/l		560 mg/l		
Soil 0,654 mg/		0,654 mg/kg		

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Tested protective gloves are to be worn: NBR (Nitrile rubber). Breakthrough times and swelling properties of the material must be taken into consideration. Thickness of glove material: 0,65mm; penetration time (maximum wearing period): 8h

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: light yellow

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flammability: not applicable not applicable

not determined not determined

Lower explosion limits:

Upper explosion limits:

Print date: 06.02.2025



Safety Data Sheet

according to UK REACH Regulation

SANIT Cleaner for Fireplace Glass

Revision date: 07.12.2023 Product code: 45060 Page 6 of 10

Flash point: not applicable
Decomposition temperature: not determined
pH-Value: ca. 11
Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

Density:

Relative vapour density:

not determined
not determined
not determined
not determined
not determined
not determined

9.2. Other information

Information with regard to physical hazard classes

Self-ignition temperature

Solid: not applicable Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate: not determined Solid content: not determined Viscosity / dynamic: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidising agent.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Keep away from: Acid, Oxidising agent, Peroxides. Oxidizing agents, strong.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to UK REACH Regulation

SANIT Cleaner for Fireplace Glass

Revision date: 07.12.2023 Product code: 45060 Page 7 of 10

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
68515-73-1	Decyl-octyl glycosides oligomer					
	oral	LD50 > 2000 mg/kg	Rat	ECHA	OECD 423	
	dermal	LD50 > 2000 mg/kg	Rat	ECHA	OECD 402	
9043-30-5	Isotridecanol,ethoxylated					
	oral	LD50 >2000 mg/kg	Ratte	SDb vom Lieferant		

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

no danger of sensitization.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards

Endocrine disrupting properties

information on endocrine-disrupting properties on human health is not available.

Further information

Has degreasing effect on the skin.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.



according to UK REACH Regulation

SANIT Cleaner for Fireplace Glass

Revision date: 07.12.2023 Product code: 45060 Page 8 of 10

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
68515-73-1	Decyl-octyl glycosides olig	Decyl-octyl glycosides oligomer					
	Acute fish toxicity	LC50 mg/l	100,81	96 h	Danio rerio (zebrafish)	ECHA	
	Fish toxicity	NOEC	> 1 mg/l	21 d	Danio rerio (zebrafish)		
	Crustacea toxicity	NOEC	>1 mg/l	21 d	Daphnia magna		
9043-30-5	Isotridecanol,ethoxylated						
	Acute fish toxicity	LC50	>1 mg/l	96 h	Fische	SDB vom Lieferant	
	Acute crustacea toxicity	EC50	>1 mg/l	48 h	Daphnien	SDB vom Lieferant	
	Crustacea toxicity	NOEC	>1 mg/l		D		

12.2. Persistence and degradability

Biologically degradable according to the Washing- and Cleaning Agents Act (WRMG German Law).

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
68515-73-1	Decyl-octyl glycosides oligomer				
	angelehnt an OECD Guideline 303A	>99,4%	28		
	Easily biodegradable (concerning to the criteria of the OECD)				

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

List of Wastes Code - contaminated packaging



according to UK REACH Regulation

SANIT Cleaner for Fireplace Glass

Revision date: 07.12.2023 Product code: 45060 Page 9 of 10

150102

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal

packaging waste); plastic packaging

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2.

Abbreviations and acronyms

Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Print date: 06.02.2025



Safety Data Sheet

according to UK REACH Regulation

SANIT Cleaner for Fireplace Glass

Revision date: 07.12.2023 Product code: 45060 Page 10 of 10

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)