

Safety Data Sheet

according to UK REACH Regulation

SpülKaSti RDF blau®

Revision date: 18.09.2023 Product code: 3372 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SpülKaSti RDF blau®

UFI: 2HA9-V06P-Y00P-C687

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Company name: SANIT-Chemie

Reinigungsmittel und -geräte GmbH

Street: Dieselstr. 38
Place: D-74211 Leingarten

Telephone: +49 7131 902100 Telefax: +49 7131 404360

E-mail: info@sanit-chemie.de

Contact person: Produktmanagement Telephone: 07131 90210-20

Internet: www.sanit-chemie.de

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16

2.2. Label elements

GB CLP Regulation

Signal word: Warning

Pictograms:



Hazard statements

H315 Causes skin irritation.H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P264 Wash Hände thoroughly after handling.

P280 Wear protective gloves and eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to geeignete Entsorgungsstelle.



Safety Data Sheet

according to UK REACH Regulation

SpülKaSti RDF blau®

Revision date: 18.09.2023 Product code: 3372 Page 2 of 10

Special labelling of certain mixtures

EUH208 Contains Geraniol. May produce an allergic reaction.

Additional advice on labelling

Data obtained by expert judgement. DetNet 215

2.3. Other hazards

No information available.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, Annex XIII.

Endocrine-disrupting potential: not listed.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
68411-30-3	Benzolsulfonsäure, C10-13-Alkylderivate, Natriumsalze			25 - 50 %
	270-115-0		01-2119489428-20	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1; H302 H315 H318			
90622-77-8	Cocamide MEA		10 - 25 %	
	292-481-0		01-2119489413-33	
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 2; H315 H318 H411			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
68411-30-3	270-115-0	Benzolsulfonsäure, C10-13-Alkylderivate, Natriumsalze	25 - 50 %
	oral: LD50 = 1020 mg/kg		
90622-77-8	292-481-0	Cocamide MEA	10 - 25 %
	oral: LD50 = >5000 mg/kg		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.



Safety Data Sheet

according to UK REACH Regulation

SpülKaSti RDF blau®

Revision date: 18.09.2023 Product code: 3372 Page 3 of 10

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.



Safety Data Sheet

according to UK REACH Regulation

SpülKaSti RDF blau®

Revision date: 18.09.2023 Product code: 3372 Page 4 of 10

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Washing and cleaning products (including solvent based products)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
68411-30-3	Benzolsulfonsäure, C10-13-Alkylderivate, Natriumsalze			
Consumer DNEL, long-term		oral	systemic	0,85 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	3 mg/m³
Worker DNEL, long-term		inhalation	systemic	12 mg/m³
Consumer DNEL, long-term		dermal	systemic	85 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	170 mg/kg bw/day
90622-77-8	2-77-8 Cocamide MEA			
Consumer DNEL, long-term		oral	systemic	6,25 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	4,16 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	73,4 mg/m³

PNEC values

CAS No	Substance		
Environmental compartment Value		Value	
68411-30-3	Benzolsulfonsäure, C10-13-Alkylderivate, Natriumsalze		
Freshwater		0,268 mg/l	
Marine water		0,0268 mg/l	
Marine water (intermittent releases)		0,0167 mg/l	
Micro-organisms in sewage treatment plants (STP) 3,43 r		3,43 mg/kg	
90622-77-8	Cocamide MEA		
Freshwater		0,007 mg/l	
Marine water		0,0007 mg/l	
Micro-organisms in sewage treatment plants (STP) 830 mg/l		830 mg/l	

8.2. Exposure controls



Safety Data Sheet

according to UK REACH Regulation

SpülKaSti RDF blau®

Revision date: 18.09.2023 Product code: 3372 Page 5 of 10





Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles. Tightly sealed safety glasses.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Tested protective gloves are to be worn: NBR (Nitrile rubber). Butyl rubber. Thickness of glove material: 0,4 mm Breakthrough times and swelling properties of the material must be taken into consideration. penetration time (maximum wearing period): 8h

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid Colour: blue

Odour: characteristic

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

not determined

boiling range:

not determined Flammability: not determined Lower explosion limits: not determined Upper explosion limits: > 100 °C Flash point: not determined Auto-ignition temperature: not determined Decomposition temperature: pH-Value: not determined Viscosity / kinematic: Water solubility: easily soluble.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

Particle characteristics:

not determined

not determined

not determined

not determined

not applicable

9.2. Other information

Information with regard to physical hazard classes



Safety Data Sheet

according to UK REACH Regulation

SpülKaSti RDF blau®

Revision date: 18.09.2023 Product code: 3372 Page 6 of 10

Explosive properties

The product is not: Explosive.

Self-ignition temperature

Solid: not applicable

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate: not determined Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Store at temperatures not exceeding 30°C/°F.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
68411-30-3	Benzolsulfonsäure, C10-13-Alkylderivate, Natriumsalze				
	oral	LD50 1020 mg/kg	Rat	OECD 401	
90622-77-8	Cocamide MEA				
	oral	LD50 >5000 mg/kg	rat		

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains Geraniol. May produce an allergic reaction.

no danger of sensitization.



Safety Data Sheet

according to UK REACH Regulation

SpülKaSti RDF blau®

Revision date: 18.09.2023 Product code: 3372 Page 7 of 10

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

information on endocrine-disrupting properties on human health is not available.

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Harmful to aquatic life with long lasting effects. No data available

12.2. Persistence and degradability

Biologically degradable according to the Washing- and Cleaning Agents Act (WRMG German Law). The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products



Safety Data Sheet

according to UK REACH Regulation

SpülKaSti RDF blau®

Revision date: 18.09.2023 Product code: 3372 Page 8 of 10

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately

collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING: ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances;

hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the

substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2.

Die Einstufung dieses Produkts bezüglich seiner Wirkungen auf Haut und/oder Augen erfolgte durch Nutzung von Übertragungsgrundsätzen (z. B. Verdünnung, Interpolation innerhalb einer Gefahrenkategorie oder Im

Wesentlichen ähnliche Gemische; jeweils mit oder ohne Expertenurteil) gemäß



Safety Data Sheet

according to UK REACH Regulation

SpülKaSti RDF blau®

Revision date: 18.09.2023 Product code: 3372 Page 9 of 10

Artikel 9 Abs. 3 und 4 der Verordnung (EG) Nr. 1272/2008.

DetNet Logging Nr.: DetNet/215

Abbreviations and acronyms

Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation

Aquatic Chronic: Chronic aquatic hazard CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.



Safety Data Sheet

according to UK REACH Regulation

SpülKaSti RDF blau®

Revision date: 18.09.2023 Product code: 3372 Page 10 of 10

EUH208

Contains Geraniol. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)