

Safety Data Sheet

according to UK REACH Regulation

SANIT NeutralReiniger

Revision: 03.04.2023

Product code: 3403

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SANIT NeutralReiniger

UFI: NGKV-RYUH-7G01-6WGX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Company name:	SANIT-Chemie	
	Reinigungsmittel und -geräte GmbH	
Street:	Dieselstr. 38	
Place:	D-74211 Leingarten	
Telephone:	+49 7131 902100	Telefax: +49 7131 404360
E-mail:	info@sanit-chemie.de	
Contact person:	Produktmanagement	Telephone: 07131 90210-20
Internet:	www.sanit-chemie.de	

1.4. Emergency telephone number:

National Poisons Information Service (NPIS) – TOXBASE +44 344 892 0111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Irrit. 2; H315
Eye Dam. 1; H318
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Fatty alcohol ethoxilate
quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides

Signal word: Danger

Pictograms:



Hazard statements

H315	Causes skin irritation.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P264	Wash Hände thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of water.

Safety Data Sheet

according to UK REACH Regulation

SANIT NeutralReiniger

Revision: 03.04.2023

Product code: 3403

Page 2 of 11

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Special labelling of certain mixtures

EUH208 Contains (R)-p-mentha-1,8-diene; d-limonene, citral. May produce an allergic reaction.

2.3. Other hazards

No information available.

Die Stoffe im Gemisch erfüllen nicht die PBT/vPvB Kriterien gemäß REACH, Anhang XIII.

Endokrines Störpotential: nicht gelistet

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
64-17-5	ethanol; ethyl alcohol			15 - < 20 %
	200-578-6	603-002-00-5		
	Flam. Liq. 2; H225			
	Fatty alcohol ethoxilate			5 - < 10 %
			02-2119552461-55	
	Acute Tox. 4, Eye Dam. 1; H302 H318			
85409-22-9	quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides			1 - < 5 %
	939-350-2		01-2119970550-39	
	Acute Tox. 4, Skin Corr. 1, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H400 H410			
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene			0.1 - < 1 %
	227-813-5	601-096-00-2		
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 3; H226 H315 H317 H304 H400 H412			
5392-40-5	citral			0.1 - < 1 %
	226-394-6	605-019-00-3		
	Skin Irrit. 2, Skin Sens. 1; H315 H317			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
64-17-5	200-578-6	ethanol; ethyl alcohol	15 - < 20 %
		inhalation: LC50 = 95,6 mg/l (vapours); oral: LD50 = 6200 mg/kg	
		Fatty alcohol ethoxilate	5 - < 10 %
		oral: LD50 = 500 - 2000 mg/kg	
85409-22-9	939-350-2	quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides	1 - < 5 %
		dermal: LD50 = 3400 mg/kg; oral: LD50 = 350 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1	
5989-27-5	227-813-5	(R)-p-mentha-1,8-diene; d-limonene	0.1 - < 1 %
		dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg Aquatic Acute 1; H400: M=1	

Safety Data Sheet

according to UK REACH Regulation

SANIT NeutralReiniger

Revision: 03.04.2023

Product code: 3403

Page 3 of 11

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % non-ionic surfactants, < 5 % cationic surfactants, perfumes (Limonene, Citral).

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Safety Data Sheet

according to UK REACH Regulation

SANIT NeutralReiniger

Revision: 03.04.2023

Product code: 3403

Page 4 of 11

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Keep container tightly closed in a cool, well-ventilated place.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Washing and cleaning products (including solvent based products)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

PNEC values

CAS No	Substance
Environmental compartment	Value
85409-22-9	quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides
Freshwater	0,00042 mg/l
Freshwater (intermittent releases)	0,00016 mg/l
Marine water	0,000096 mg/l
Marine water (intermittent releases)	0,000207 mg/l
Freshwater sediment	68 mg/kg
Marine sediment	15,75 mg/kg
Soil	1,66 mg/kg

8.2. Exposure controls

Safety Data Sheet

according to UK REACH Regulation

SANIT NeutralReiniger

Revision: 03.04.2023

Product code: 3403

Page 5 of 11



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles. Tightly sealed safety glasses.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Tested protective gloves are to be worn: NBR (Nitrile rubber). Thickness of glove material: 0,5 mm Breakthrough times and swelling properties of the material must be taken into consideration. penetration time (maximum wearing period): 8h

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	violet	
Odour:	characteristic	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		100 °C
Flammability:		not determined
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		> 100 °C
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		7,5
Water solubility:		completely miscible
Solubility in other solvents		not determined
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		not determined
Density:		0,97 g/cm ³
Relative vapour density:		not determined

9.2. Other information

Safety Data Sheet

according to UK REACH Regulation

SANIT NeutralReiniger

Revision: 03.04.2023

Product code: 3403

Page 6 of 11

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Viscosity / dynamic:

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

stabil

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Oxidizing agents, strong.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Safety Data Sheet

according to UK REACH Regulation

SANIT NeutralReiniger

Revision: 03.04.2023

Product code: 3403

Page 7 of 11

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64-17-5	ethanol; ethyl alcohol				
	oral	LD50 6200 mg/kg	Rat	IUCLID	
	inhalation (4 h) vapour	LC50 95,6 mg/l	Rat	RTECS	
	Fatty alcohol ethoxilate				
	oral	LD50 500 - 2000 mg/kg	Rat		
85409-22-9	quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides				
	oral	LD50 350 mg/kg	Rat	ECHA	OECD 401
	dermal	LD50 3400 mg/kg	rabbit	Echa	EPA OPPTS 870.1200
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene				
	oral	LD50 > 5000 mg/kg	Rat	GESTIS	
	dermal	LD50 > 5000 mg/kg	Rabbit	GESTIS	

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains (R)-p-mentha-1,8-diene; d-limonene, citral. May produce an allergic reaction.
no danger of sensitization.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Angaben zu endokrinschädlichen Eigenschaften auf die menschliche Gesundheit sind nicht verfügbar.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Has degreasing effect on the skin.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to UK REACH Regulation

SANIT NeutralReiniger

Revision: 03.04.2023

Product code: 3403

Page 8 of 11

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64-17-5	ethanol; ethyl alcohol					
	Acute crustacea toxicity	EC50 9268 - 14221 mg/l	48 h	Daphnia magna	IUCLID	
	Fatty alcohol ethoxilate					
	Acute fish toxicity	LC50 1-10 mg/l	96 h	Leuciscus idus (golden orfe)		
85409-22-9	quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides					
	Acute fish toxicity	LC50 0,28 mg/l	96 h	Pimephales promelas (Fresh water fish)	ECHA	EU Method C.1
	Acute algae toxicity	ErC50 0,049 mg/l	72 h	Skeletonema costatum (fresh water)	ECHA	EU Method C.3
	Acute crustacea toxicity	EC50 0,016 mg/l	48 h	Acartia tonsa (fresh water)	ECHA	EU Method C.2
	Fish toxicity	NOEC 0,032 mg/l	28 d	Pimephales promelas (Fresh water fish)	ECHA	U.S. EPA FIFRA 72-4(a)
	Crustacea toxicity	NOEC 0,0041 mg/l	21 d	Daphnia magna (Fresh water)	ECHA	OECD Guideline 211
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene					
	Acute fish toxicity	LC50 0,7 mg/l	96 h	Pimephales promelas		
	Acute crustacea toxicity	EC50 0,42 mg/l	48 h	Daphnia magna		

12.2. Persistence and degradability

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
85409-22-9	quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides			
	OECD 301B Ready Biodegradability - CO2 Evolution	95,5%	28	ECHA
	Easily biodegradable (concerning to the criteria of the OECD)			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol; ethyl alcohol	-0,31
85409-22-9	quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides	0,5
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene	4,23

Safety Data Sheet

according to UK REACH Regulation

SANIT NeutralReiniger

Revision: 03.04.2023

Product code: 3403

Page 9 of 11

BCF

CAS No	Chemical name	BCF	Species	Source
85409-22-9	quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides	73,2	aquatic species	ECHA

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Directive 2010/75/EU on industrial emissions: 20,71 % (200,885 g/l)

Directive 2004/42/EC on VOC in paints and varnishes: 20,314 % (197,044 g/l)

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

Regulation (EC) No. 648/2004 [Detergents regulation].

Safety Data Sheet

according to UK REACH Regulation

SANIT NeutralReiniger

Revision: 03.04.2023

Product code: 3403

Page 10 of 11

National regulatory information

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,4,5,6,7,8,9,10,11,12,13,14,15,16.

Abbreviations and acronyms

Flam. Liq. 2: Flammable liquids, hazard category 2
 Acute Tox. 4: Acute toxicity, hazard category 4
 Asp. Tox. 1: Aspiration hazard, hazard category 1
 Skin Irrit. 2: Skin irritation, hazard category 2
 Skin Corr. 1: Skin corrosion, hazard category 1
 Eye Dam. 1: Serious eye damage, hazard category 1
 Skin Sens. 1: Skin sensitisation, hazard category 1
 Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1
 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1
 CLP: Classification, labelling and Packaging
 REACH: Registration, Evaluation and Authorization of Chemicals
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 UN: United Nations
 CAS: Chemical Abstracts Service
 DNEL: Derived No Effect Level
 DMEL: Derived Minimal Effect Level
 PNEC: Predicted No Effect Concentration
 ATE: Acute toxicity estimate
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Regulations concerning the international carriage of dangerous goods by rail
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 VOC: Volatile Organic Compounds
 SVHC: Substance of Very High Concern
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Safety Data Sheet

according to UK REACH Regulation

SANIT NeutralReiniger

Revision: 03.04.2023

Product code: 3403

Page 11 of 11

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains (R)-p-mentha-1,8-diene; d-limonene, citral. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)